

ТҮРЕ	4 Prepack Avocado	VARIETY	Various
CLASS	One	NOTES	

GENERAL APPEARANCE CRIT	'ERIA	
Colour	Mid-dark green skin; Creamy yellow flesh grading to bright green at skin; Not >1 discoloured (chimeral) line.	
Visual Appearance	Skin with pebbly texture and bright bloom, uniform distribution of nodules; no foreign matter.	
Sensory	Firm/hard flesh; moderately thick skin; no 'off' odours.	
Shape	Oval to round oval, slightly pear shaped. Length/width ratio not > 1.5/1	
Size	In pre-ordered size range (28-30 count) Avocados within pack to fill the complete tray to within 10mm from the edge. No undersized Avocadoes.	
Maturity	All fruit firm, not sprung fruit. All fruit with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >20 attached scale insects.	
Physical/Pest Damage	With hail mark >1 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per piece of fruit. Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 10 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9 ° C.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Cocktail (Sprung)	VARIETY	Various
CLASS	One	NOTES	

GENERAL APPEARANCE CRIT	TERIA	
Colour	Green skin, not blotchy or yellowish; Creamy pale yellow flesh grading to green at skin; not > 1 discoloured (chimeral) line.	
Visual Appearance	Slightly rough textured, glossy skin; With stem buttons attached, or if dislodged, within trays on receival; no foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	With firm flesh slightly softening at stem end; thin skin which peels easily; no 'off' odours.	
Shape	Long oval shape.	
Size	In pre-ordered size range only per requirements.	
Maturity	> 90% fruit firm, yielding to slight pressure at stem end, dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With darkening/bronzing of skin and/or flesh discolouration (chilling injury).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark >1 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >1 sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Mature Green (For Ripening)	VARIETY	Hass
CLASS	Composite	NOTES	

GENERAL APPEARANCE CRIT	TERIA	
Colour	Mid-dark green skin; Creamy yellow flesh grading to bright green at skin; Not >1 discoloured (chimeral) line.	
Visual Appearance	Skin with pebbly texture and bright bloom, uniform distribution of nodules; no foreign matter. With need for stickers with PLU and produce/variety name or bar code when available, per requirements.	
Sensory	Firm/hard flesh, moderately thick skin; no 'off' odours.	
Shape	Oval to round oval, slightly pear shaped. Length/width ratio not > 1.5/1	
Size	In pre-ordered size range only per requirements.	
Maturity	All fruit firm with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark > 2 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >2 sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >2 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Mature Green (For Ripening)	VARIETY	Reed
CLASS	One	NOTES	

GENERAL APPEARANCE CRIT	I ERIA	
Colour	Green, medium rough skin; Buttery yellow flesh grading to bright green at skin; Not >1 discoloured (chimeral) line.	
Visual Appearance	Thick, medium rough skin with slight pebbling and bright bloom, uniform distribution of nodules; stem buttons attached, or if dislodgeProduce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.d, within trays on receival; no foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	Firm / Hard flesh, medium sized seed; no 'off' odours.	
Shape	Round to pear shaped, well filled with less pronounced nose.	
Size	In pre-ordered size range only per requirements.	
Maturity	All fruit firm with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark > 1 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >1 sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2% of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival.	
Receival Conditions	Reingerated van with all bag suspension, unless otherwise approved. Pulp Temperature 6 - 9 °C for Receival.	
Receival Conditions  Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.

**PRODUCE:** 

**AVOCADO** 





ТҮРЕ	Mature Green (For Ripening)	VARIETY	Fuerte
CLASS	One	NOTES	

GENERAL APPEARANCE CRIT	TERIA	
Colour	Mid-dark green skin; not blotchy or yellowish; not > 1 discoloured (chimeral) line.	
Visual Appearance	With stem buttons attached, or if dislodged, within trays on receival; no foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	Firm/hard flesh; moderately thick skin; no 'off' odours.	
Shape	Typical pear shape.	
Size	In pre-ordered size range only per requirements.	
Maturity	All fruit firm with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark >1 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >1 sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Countryof Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Mature Green (For Ripening)	VARIETY	Fuerte
CLASS	One	NOTES	

GENERAL APPEARANCE CRIT	TERIA	
Colour	Mid-dark green skin; not blotchy or yellowish; not > 1 discoloured (chimeral) line.	
Visual Appearance	With stem buttons attached, or if dislodged, within trays on receival; no foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	Firm/hard flesh; moderately thick skin; no 'off' odours.	
Shape	Typical pear shape.	
Size	In pre-ordered size range only per requirements.	
Maturity	All fruit firm with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark >1 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >1 sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Countryof Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Mature Green (For Ripening)	VARIETY	Sharwil
CLASS	One	NOTES	

GENERAL APPEARANCE CRIT	ERIA	
Colour	Mid to dark green skin; Buttery yellow flesh with characteristic green hue. Not >1 discoloured (chimeral) line.	
Visual Appearance	Bright bloom. Uniform distribution of nodules. Stem buttons attached, or if dislodged within trays on receival. No foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	Firm/hard flesh; medium sized seed; no 'off' odours.	
Shape	Round to pear shaped, well filled with less pronounced nose.	
Size	In pre-ordered size range only per requirements.	
Maturity	All fruit firm with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark > 1 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >1 sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third- party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Mature Green (For Ripening)	VARIETY	Shepard
CLASS	Composite	NOTES	

Colour	Mid to dark green skin; Creamy yellow flesh grading to bright green; not >1 discoloured (chimeral) line.	
Visual Appearance	Coarse skin with generally uniform surface; bright bloom. Stem buttons attached, or if dislodged within trays on receival. No foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	Firm/ Hard flesh; no 'off' odours.	
Shape	Pear shaped, well filled with less pronounced nose.	
Size	In pre-ordered size range only per requirements.	
Maturity	All fruit firm with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark > 2 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >2sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >2 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2% of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Mature Green (For Ripening)	VARIETY	Shepard
CLASS	One	NOTES	

Colour	Mid to dark green skin; Creamy yellow flesh grading to bright green; not >1 discoloured (chimeral) line.	
Visual Appearance	Coarse skin with generally uniform surface; bright bloom. Stem buttons attached, or if dislodged within trays on receival. No foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	Firm/ Hard flesh; no 'off' odours.	
Shape	Pear shaped, well filled with less pronounced nose.	
Size	In pre-ordered size range only per requirements.	
Maturity	All fruit firm with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark > 1 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >1 sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Mature Green (For Ripening)	VARIETY	Wurtz
CLASS	One	NOTES	

GENERAL APPEARANCE CRIT	'ERIA	
Colour	Mid to dark green skin; Creamy yellow flesh grading to bright green; not >1 discoloured (chimeral) line.	
Visual Appearance	Coarse skin with generally uniform surface; bright bloom. Stem buttons attached, or if dislodged within trays on receival. No foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	Firm / hard flesh, no 'off' odours.	
Shape	Pear shaped, slightly elongated nose.	
Size	In pre-ordered size range only per requirements.	
Maturity	All fruit firm dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark > 2 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >1sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 · 9°C for Receival	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Sprung	VARIETY	Fuerte
CLASS	One	NOTES	

GENERAL APPEARANCE CRIT	EDIA	
OLINERAL AFFEARANCE CRIT		
Colour	Mid-dark green skin, not blotchy or yellowish; creamy pale yellow flesh grading to bright green at skin; not > 1 discoloured (chimeral) line.	
Visual Appearance	Glossy skin with slightly bumpy texture; stem buttons attached or, if dislodged, within trays on receival; no foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	With firm flesh slightly softening at stem end; medium thin skin which peels easily; no 'off' odours.	
Shape	Typical pear shape	
Size	In pre-ordered size range only per requirements.	
Maturity	> 90% fruit firm, yielding to slight pressure at stem end. All fruit with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark >1 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >1 sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2% of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.

**PRODUCE:** 

**AVOCADO** 





ТҮРЕ	Sprung	VARIETY	Sharwil
CLASS	One	NOTES	

GENERAL APPEARANCE CRIT	TERIA	
Colour	Mid to dark green skin; Buttery yellow flesh with characteristic green hue. Not >1 discoloured (chimeral) line.	
Visual Appearance	Bright bloom. Uniform distribution of nodules. Stem buttons attached, or if dislodged within trays on receival. No foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	Firm flesh, softening slightly at stem end; medium sized seed; no 'off' odours.	
Shape	Round to pear shaped, well filled with less pronounced nose.	
Size	In pre-ordered size range only per requirements.	
Maturity	> 90% fruit firm, yielding to slight pressure at stem end. All fruit with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark > 1 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Sprung	VARIETY	Shepard
CLASS	Composite	NOTES	

GENERAL APPEARANCE CRIT	ERIA	
Colour	Mid to dark green skin; Creamy yellow flesh grading to bright green; not >1 discoloured (chimeral) line.	
Visual Appearance	Coarse skin with generally uniform surface; bright bloom. Stem buttons attached, or if dislodged within trays on receival. No foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	Firm flesh, softening slightly at stem end; no 'off' odours.	
Shape	Pear shaped, well filled with less pronounced nose.	
Size	In pre-ordered size range only per requirements.	
Maturity	> 90% fruit firm, yielding to slight pressure at stem end. All fruit with dry matter content > 21% and < 35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark > 2 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >2sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >2 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2% of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Sprung	VARIETY	Shepard
CLASS	One	NOTES	

CENEDAL ADDEADANCE COL		
GENERAL APPEARANCE CRIT	ERIA	
Colour	Mid to dark green skin; Creamy yellow flesh grading to bright green; not >1 discoloured (chimeral) line.	
Visual Appearance	Coarse skin with generally uniform surface; bright bloom. Stem buttons attached, or if dislodged within trays on receival. No foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	Firm flesh, softening slightly at stem end; no 'off' odours.	
Shape	Pear shaped, well filled with less pronounced nose.	
Size	In pre-ordered size range only per requirements.	
Maturity	> 90% fruit firm, yielding to slight pressure at stem end. All fruit with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark > 1 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >1 sq cm of total area. With solid dark (brown) rub marks affecting >1sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be $< 2$ defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2% of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Sprung	VARIETY	Wurtz
CLASS	One	NOTES	

GENERAL APPEARANCE CRIT	ERIA	
Colour	Mid to dark green skin; Creamy yellow flesh grading to bright green; not >1 discoloured (chimeral) line.	
Visual Appearance	Coarse skin with generally uniform surface; bright bloom. Stem buttons attached, or if dislodged within trays on receival. No foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	Firm flesh, softening slightly at stem end; no 'off' odours.	
Shape	Pear shaped, slightly elongated nose.	
Size	In pre-ordered size range only per requirements.	
Maturity	> 90% fruit firm, yielding to slight pressure at stem end. All fruit with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark > 2 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >1sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Sprung	VARIETY	Hass
CLASS	Composite	NOTES	

GENERAL APPEARANCE CRIT	TERIA	
Colour	Dark green to purplish black skin; Creamy yellow flesh grading to bright green at skin; Not >1 discoloured (chimeral) line.	
Visual Appearance	Skin with pebbly texture and bright bloom, uniform distribution of nodules; no foreign matter. With need for stickers with PLU and produce/variety name or bar code when available, per requirements.	
Sensory	Firm flesh, softening slightly at stem end; moderately thick skin which peels easily; no 'off' odours.	
Shape	Oval to round oval, slightly pear shaped. Length/width ratio not > 1.5/1	
Size	In pre-ordered size range only per requirements.	
Maturity	> 90% fruit firm, yielding to slight pressure at stem end. All fruit with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark > 2 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >2 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
	Standards Code IVIE's and IVINE's.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Sprung	VARIETY	Hass
CLASS	One	NOTES	

GENERAL APPEARANCE CRIT	TERIA	
Colour	Dark green to purplish black skin; Creamy yellow flesh grading to bright green at skin; Not >1 discoloured (chimeral) line.	
Visual Appearance	Skin with pebbly texture and bright bloom, uniform distribution of nodules; no foreign matter. With need for stickers with PLU and produce/variety name or bar code when available, per requirements.	
Sensory	Firm flesh, softening slightly at stem end; moderately thick skin which peels easily; no 'off' odours.	
Shape	Oval to round oval, slightly pear shaped. Length/width ratio not > 1.5/1	
Size	In pre-ordered size range only per requirements.	
Maturity	> 90% fruit firm, yielding to slight pressure at stem end. All fruit with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark > 1 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >1 sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limit) must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
Receival Conditions	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet. Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival.	
Chemical & Containment Residues	All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirements of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	
Food Safety Requirements	Produce is to be grown and packed under a HACCP based food safety program that is subject to an annual third-party audit. A copy of current certification to be forwarded to receiver.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.



ТҮРЕ	Sprung	VARIETY	Reed
CLASS	One	NOTES	

GENERAL APPEARANCE CRIT	LINA	
Colour	Green, medium rough skin; Buttery yellow flesh grading to bright green at skin; Not >1 discoloured (chimeral) line	
Visual Appearance	Thick, medium rough skin with slight pebbling and bright bloom, uniform distribution of nodules; stem buttons attached, or if dislodged, within trays on receival; no foreign matter. With need for stickers with PLU and produce/variety name, or bar code when available, per requirements.	
Sensory	Firm flesh, softening slightly at stem end; skin which peels easily; medium sized seed; no 'off' odours.	
Shape	Round to pear shaped, well filled with less pronounced nose.	
Size	In pre-ordered size range only per requirements.	
Maturity	> 90% fruit firm, yielding to slight pressure at stem end. All fruit with dry matter content >21% and <35%.	
MAJOR DEFECTS		
Insects	With evidence of live insects.	
Diseases	With soft brown-black damage to skin and into flesh, eg anthracnose, stem end rot, bacterial soft rot	
Physical/Pest Damage	With hard lumps in flesh under skin (fruit fly/fruit spotting bug damage). With cuts, holes, punctures or cracks (that break the skin). With damaged or torn button holes. With deep skin scarring due to insect chewing. With soft, deep-seated bruising (distinct from allowable nodule bruising damage). With blue copper deposits on skin surface.	
Temperature Injury	With darkening/bronzing of skin and/or flesh discolouration (chilling injury). With sun bleach (yellow or rust-pink skin discolouration).	
MINOR DEFECTS		
Insects	With >10 attached scale insects.	
Physical/Pest Damage	With hail mark > 1 sq cm, must be healed, not > skin thickness.	
Skin Marks/Blemishes	With superficial scattered light (beige) rub marks affecting >2 sq cm of total area. With solid dark (brown) rub marks affecting >1 sq cm.	
Temperature Injury	With sunburn, eg. Brown-black discolouration >1 sq cm.	
Physiological Disorder	With red brown to brown 'netting, ridging, wrinkling' >25% visual surface (skin netting).	
CONSIGNMENT CRITERIA		
Tolerance Per Consignment	Total minor defects (within allowance limit) to be < 2 defects per item Total minor defects (outside allowance limi must not exceed 10% of consignment. Total major defects must not exceed 2 % of consignment. Combined Total not to exceed 10%.	
Packaging & Labelling	Packaging manufactured from new food grade materials or sanitised returnable crates. All labelling must meet the current legislative requirements. Labelling to identify grower's name/brand (plus growers name/code if via a packhouse), address, contents, class, size and/or minimum net weight. Produce to identify Country of Origin (eg. Produce of Australia) on outer container.	
Shelf Life	Produce must provide not less than 14 days clear shelf life from date of receival.	
	Compliance with Quarantine Treatments (if required) for Interstate Consignment. Stacked onto a stabilised pallet	
Receival Conditions	Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival.	
Receival Conditions  Chemical & Containment Residues	Refrigerated van with air bag suspension, unless otherwise approved. Pulp Temperature 6 - 9°C for Receival.  All chemicals used pre/postharvest must be registered and approved for use in accordance with the requirement of the APVMA regulatory system. Residues, Contaminants and Heavy Metals to comply to the FSANZ Food Standards Code ML's and MRL's.	

<sup>\*</sup>Specifications reviewable: e.g. to account for specific regional effects or adverse seasonal impacts on quality or early or late seasonal variances as agreed and communicated formally in writing.